



SUPER QUIET EXHAUST FAN

The QCF-110ES fan is designed for high performance and quiet operation. This fan is equipped with specially designed mounting slots that allow for easy installation on concrete ceilings or wooden joists. The QCF-110ES is constructed with corrosion resistant, heavy gauge satin coat steel. This fan is suitable for installation over bath tub or shower stall with GFCI protected branch circuit. The fan is certified by California Energy Commission in accordance with California Law - Title 20. It also meets Washington State Ventilation and Indoor Air Quality Code.




Plastic Backdraft Damper

White High Impact Styrene Grille

Off White Aluminum Grille

QCF-110ES FAN DATA



ACCESSORIES

Standard:

- Insulated housing
- Metal collar with neoprene damper
- Mounting brackets
- Aluminum or styrene grille


Optional:

- Variable speed control
- Aluminum backdraft damper
- Plastic backdraft damper



Reversomatic Manufacturing Ltd.

790 Rowntree Dairy Road, Woodbridge, ON Canada L4L 5V3 • Tel: 905-851-6701 • Fax: 905-851-8376
www.reversomatic.com • info@reversomatic.com



HVI CERTIFIED RATINGS

MODEL	SONES	CFM @ 0.10" S.P.
QCF-110ES	1.5	90

FAN DATA

MODEL	MOTOR 120 VAC 60 Hz			CUBIC FEET PER MINUTE								
	RPM	AMPS	WATTS	S.P.	0.00	0.05	0.10	0.15	0.20	0.25	0.30	0.40
QCF-110ES	1390	0.3	20	CFM	108	103	96	86	82	75	60	41

RPM (Revolution Per Minute) shown is nominal and performance is based on actual speed of test. Unit was tested with inlet grille, backdraft damper and outlet duct.

Contractor:		QCF-110ES		
Architect:	Job:	Date	Supersedes	Drawing No.
Engineer:	Date Submitted:			

Reversomatic Manufacturing Ltd.

790 Rowntree Dairy Road, Woodbridge, ON Canada L4L 5V3 • Tel: 905-851-6701 • Fax: 905-851-8376
www.reversomatic.com • info@reversomatic.com